

Visit
FREETESTPAPER.com
for more papers



Website: freetestpaper.com



[Facebook.com/freetestpaper](https://www.facebook.com/freetestpaper)



[Twitter.com/freetestpaper](https://www.twitter.com/freetestpaper)

--	--



2024

Marks : 90

Mathematical Formulae

Compound interest

$$\text{Total amount} = P \left(1 + \frac{r}{100} \right)^n$$

Mensuration

$$\text{Curved surface area of a cone} = \pi r l$$

$$\text{Surface area of a sphere} = 4\pi r^2$$

$$\text{Volume of a cone} = \frac{1}{3} \pi r^2 h$$

$$\text{Volume of a sphere} = \frac{4}{3} \pi r^3$$

$$\text{Area of triangle } ABC = \frac{1}{2} ab \sin C$$

$$\text{Arc length} = r\theta, \text{ where } \theta \text{ is in radians}$$

$$\text{Sector area} = \frac{1}{2} r^2 \theta, \text{ where } \theta \text{ is in radians}$$

Trigonometry

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Statistics

$$\text{Mean} = \frac{\sum fx}{\sum f}$$

$$\text{Standard deviation} = \sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f} \right)^2}$$

Answer **all** the questions.

- 1** A running route is 42.2 km long and a runner took 4 hours 45 minutes to finish the route. Calculate the speed of the runner in metres per second.

Answer m/s [2]

2 (a) Simplify $\left(\frac{g^{12}}{256f^6}\right)^{-\frac{1}{4}}$.

Answer [2]

(b) $5 \times 9^{k-1} = 15 \times 81$
Find the value of k .

Answer $k =$ [3]

- 3 Given that $\sin \theta = 0.8211$, find the two possible values of θ , where $0^\circ \leq \theta \leq 180^\circ$.

Answer $\theta = \dots\dots\dots$ [2]

- 4 The number $A = 2^7 \times 5^{11} \times 7^8$.

- (a) Prove that A is divisible by 245.

Answer $\dots\dots\dots$
 $\dots\dots\dots$ [2]

- (b) The number $A \times k$ is a perfect square.
 Find the smallest possible integer value of k .

Answer $k = \dots\dots\dots$ [1]

- (c) The number $B = 2^5 \times 3^6 \times 7^3$.
 Find the highest common factor (HCF) and lowest common multiple (LCM) of A and B as a product of its prime factors.

Answer HCF = $\dots\dots\dots$ [1]

LCM = $\dots\dots\dots$ [1]

- 5 Zen invests \$42000 at a rate of 1.6% per annum compounded monthly.
Calculate the value of the investment at the end of 3 years.

Answer \$ [2]

- 6 (a) Express $x^2 + 6x + 10$ in the form of $(x + h)^2 + k$.

Answer [2]

- (b) Using your answer in (a),

- (i) write down the equation of the line of symmetry of the curve $y = x^2 + 6x + 10$.

Answer [1]

- (ii) Explain why the equation $x^2 + 6x + 10 = 0$ does not have any solutions.

Answer

..... [1]

- 7 (a) Paul is 25% heavier than Mike. Mike is 25% lighter than Oscar.
Find the ratio of the weight of Paul to that of Oscar.


Answer [2]

- (b) Rachel bought 8 watches for \$900 each. She sold 4 watches at a profit of 80%,
and 3 watches at a loss of 50%. She kept one watch for herself.

Calculate Rachel's net profit.

Answer \$ [3]

- 8 A company produces light bulbs. The lifespan, in hours, of 240 light bulbs is tested. The cumulative frequency curve shows the distribution of lifespan of the light bulbs.



(a) Use the diagram to estimate

(i) the median lifespan of the light bulbs

Answer h [1]

(ii) the interquartile range of the lifespan of the light bulbs.


Answer h [2]

(b) Light bulbs with a lifespan of over x hours can be sold. Only 80 of the light bulbs tested meet this requirement.

Find the value of x .

Answer $x =$ [1]

- 9 The diagram, which is not drawn to scale, shows the three lines.



- (a) Show that $k = 1$.

Answer:

[1]

- (b) Find the coordinates of point D .

Answer D (..... , ...) [1]

- 10** Write as a single fraction in its simplest form $\frac{7y}{y+3} - \frac{y+9}{3-y}$.

Answer [2]

- 11 (a)** Factorise completely.

(i) $33x^2y + 11xy$.

Answer [1]

(ii) $x^3 + x^2 - 9x - 9$.

Answer [3]

- (b) Expand and simplify $(x + 3y)(4x - 3y)$.

Answer [1]

- 12 A bag contains blue, green and red marbles. There are 3 more green marbles than blue marbles. Half of the marbles in the bag are red.

Given that the probability of choosing a blue marble is $\frac{6}{25}$, find the number of green marbles in the bag.


Answer [3]

- 13** Show that $x^2(3x-10) + 2(x^3 + 10x - 8) - 4$ is divisible by 5 for any integer x .

Answer

[3]



- 14** The diagram shows one interior angle of each of the three polygons, A , B and C .
The polygons fit together at the point O .
The interior angle of polygon A is 90° .
The interior angle of polygon B is 130° .



Explain why polygon C can be a regular polygon.

Answer

- 15 The graph shows the average performance score of two companies from year 2011 to 2015.



State one aspect of the graphs which may be misleading and explain how this may lead to a misinterpretation.


Answer

.....

..... [2]

- 16 (a) On the Venn diagram, shade the region that represents $P' \cup Q$.

Answer



[1]

(b) It is given that

$$\mathcal{E} = \{x : x \text{ is an integer and } 10 \leq 3x + 5 < 40\},$$

$$A = \{x : x \text{ is divisible by 4}\} \text{ and}$$

$$B = \{x : x \text{ is a prime number}\}.$$

(i) List the elements in A .

Answer [2]

(ii) Use one of the symbols below to complete each statement.


$$\in \quad \notin \quad \emptyset \quad \subset \quad \not\subset$$

$$A \dots\dots B$$

Answer [1]

17 Sketch the graph of $y = -(2x + 3)(x - 8)$ on the axes below.

Indicate clearly the points where the graph crosses the axes and its turning point.



[3]

18 Simplify $\frac{6x^2 - 7xy - 5y^2}{18x^2 - 50y^2}$.

Answer [3]

- 19** y is proportional to the square root of x .
If the value of x is increased by 300%, the value of y will be increased by r %.
Find the value r .

Answer [2]

- 20** A concert was held over a particular weekend. The matrix M shows the number of tickets sold on Saturday and Sunday respectively.

$$M = \begin{matrix} & \begin{matrix} \text{Saturday} & \text{Sunday} \end{matrix} \\ \begin{pmatrix} 84 & 51 \\ 135 & 160 \\ 72 & 87 \end{pmatrix} & \begin{matrix} \text{Children} \\ \text{Adults} \\ \text{Senior Citizens} \end{matrix} \end{matrix}$$

- (a)** The concert tickets were priced at \$6 for a child, \$15 for an adult and \$8 for a senior citizen.
Represent this information in a 1×3 matrix P .

Answer $P = \dots\dots\dots$ [1]

- (b)** Evaluate the matrix $T = PM$.

Answer $T = \dots\dots\dots$ [2]


- (c)** State what each of the elements in matrix T represents.

Answer $\dots\dots\dots$
 $\dots\dots\dots$ [1]

- (d)** The elements of the matrix N , where $N = QM$, represents the number of tickets sold on each day of the concert.
Write down the matrix Q .

Answer $Q = \dots\dots\dots$ [1]


- 21** The diagram shows a figure made up of four identical rectangles.
The length of the rectangle is 7 cm longer than the breadth of the rectangle.
The perimeter of this figure is 138 cm.



Find the area of this figure.

Answer cm^2 [3]

- 22 In the diagram, OAB and OMN are sectors of two concentric circles with the same centre at O . $OA = OB = 15$ cm and angle $AOB = 2$ radians. The area of the shaded region is 136 cm^2 .




Find the length of AM .

Answer cm [3]

- 23 The diagram shows a park $PQRS$ and a path PR .

S is due north of P and the bearing of R from P is 018° .

It is also given that $PQ = 72$ m, $QR = 45$ m, $RS = 28$ m and $PR = 90$ m.



- (a) Calculate

- (i) angle PSR ,

Answer $^\circ$ [2]

- (ii) the bearing of P from R .

Answer $^\circ$ [2]

(b) Show that angle PQR is 97.903° , correct to three decimal places.

Answer

[3]

(c) Find

(i) area of triangle PQR ,

Answer m² [2]

(ii) the shortest distance from Q to PR .

Answer m [1]


(d) A lamp post stands vertically at point Q .

The greatest angle of elevation of the top of the lamp post when viewed from a point along PR is 8° .

Calculate the height of the lamp post.

Answer m [2]

- 24 $OWXY$ is a parallelogram. P is a point on WX such that $\overrightarrow{WP} = \frac{3}{5}\overrightarrow{WX}$.
 $\overrightarrow{YX} = 5\mathbf{a} + 4\mathbf{b}$ and $\overrightarrow{OY} = 10\mathbf{a} - 5\mathbf{b}$.



- (a) Find $\overrightarrow{YP}$ in terms of $\mathbf{a}$ and $\mathbf{b}$.

Answer [2]

- (b) Q is on OY produced such that $OY : YQ$ is $5 : 2$.
 Show that $\overrightarrow{QX}$ and $\overrightarrow{YP}$ are equal vectors.

[3]


- (c) Find the value of $\frac{\text{area of triangle } PXY}{\text{area of triangle } OPY}$.

Answer [1]



End of Paper

1.		Method 1 42.2km = 42200m 4h 45min = 17100s Speed = $\frac{42200}{17100}$ =2.47m/s	Method 2 $42.2 \div 4 \frac{3}{4} = 8.8842 \text{ km/h}$ $\frac{8.8842 \times 1000}{3600}$ =2.47m/s
2.	a.	$\left(\frac{g^{12}}{256f^6} \right)^{-\frac{1}{4}} = \left(\frac{256f^6}{g^{12}} \right)^{\frac{1}{4}}$ $= \frac{256^{\frac{1}{4}} f^{\frac{6}{4}}}{g^{\frac{12}{4}}}$ $= \frac{4f^{\frac{3}{2}}}{g^3}$	
	b.	$5 \times 9^{k-1} = 15 \times 81$ $5 \times 3^{2(k-1)} = 3 \times 5 \times 3^4$ $3^{2(k-1)} = 3^5$ $2(k-1) = 5$ $k = 3.5$	
3.		55.2 or 124.8	
4.	a.	Divisor $245 = 5 \times 7^2$ which is a factor of A.	
	b.	$k = 2 \times 5 = 10$	
	c.	$A = 2^7 \times 5^{11} \times 7^8$ $B = 2^5 \times 3^6 \times 7^3$ HCF = $2^5 \times 7^3$ LCM = $2^7 \times 3^6 \times 5^{11} \times 7^8$	
5.		$42000 \left(1 + \frac{\left(\frac{1.6}{12} \right)}{100} \right)^{36}$ = \$44063.76	
6.	a.	$x^2 + 6x + 10 = x^2 + 6x + 3^2 - 3^2 + 10$ $= (x + 3)^2 + 1$	

	b.	(i) $x = -3$
		(ii) The minimum point of the graph is above the x -axis.
7.	a.	Paul = 125% Mike $\rightarrow$ Mike = 80% Paul Mike = 75% Oscar $0.8 \text{ Paul} = 0.75 \text{ Oscar}$ Paul : Oscar = $0.75 : 0.8 = 15:16$
	b.	Total cost = $900 \times 8 = 7200$ Total received = $4 \times \frac{180}{100} \times 900 + 3 \times \frac{50}{100} \times 900 = 7830$ Profit = \$630
8.	a.	(i) $420h \pm 2$ (ii) $500 - 330 = 170h$
	b.	$x = 470$
9.	a.	Using $2y + 3x = 2$, $y = -\frac{3}{2}x + 1$, y intercept = 1
	b.	$2(-4) + 3x = 2$ $D \left(\frac{10}{3}, -4 \right)$
10.		$\frac{7y}{y+3} - \frac{y+9}{3-y} = \frac{7y(3-y) - (y+9)(y+3)}{(y+3)(3-y)}$ $= \frac{21y - 7y^2 - y^2 - 12y - 27}{(y+3)(3-y)}$ $= \frac{9y - 8y^2 - 27}{(y+3)(3-y)} \text{ or } \frac{8y^2 - 9y + 27}{(y+3)(y-3)}$
11.	a.	(i) $33x^2y + 11xy = 11xy(3x + 1)$ (ii) $x^3 + x^2 - 9x - 9 = x^2(x + 1) - 9(x + 1)$ $= (x + 1)(x^2 - 9)$ $= (x + 1)(x + 3)(x - 3)$
	b.	$(x + 3y)(4x - 3y) = 4x^2 + 9xy - 9y^2$

12.		Blue: let there be x marbles Green: $x + 3$ Red: $2x + 3$ Total : $4x + 6$ $P(\text{Blue}) = \frac{x}{4x + 6} = \frac{6}{25}$ $25x = 6(4x + 6)$ $x = 36$ Green = 39
13.		$x^2(3x - 10) + 2(x^3 + 10x - 8) - 4$ $= 3x^3 - 10x^2 + 2x^3 + 20x - 16 - 4$ $= 5x^3 - 10x^2 + 20x - 20$ $= 5(x^3 - 2x^2 + 4x - 4)$ Since expression has a factor of 5 OR is a multiple of 5, it is divisible by 5 for any integer x.
14.		Interior angle of polygon C = 140° Exterior angle of polygon C = 40° $\frac{360}{40} = 9 \text{ or } \frac{(n-2) \times 180}{n} = 140, n = 9$ Polygon C can be a regular polygon with 9 equal sides with each interior angle 140°.
15.		The scale on the vertical axis is different and misleading. It can be misinterpreted that the average score for Company C is higher than Company D.
16.	a)	
	b)	$\frac{5}{3} \leq x < \frac{35}{3}$ $x = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11\}$ (i) $\{4, 8\}$ (ii) $A \not\subset B$

17.		
18.		$\frac{6x^2 - 7xy - 5y^2}{18x^2 - 50y^2} = \frac{(3x - 5y)(2x + y)}{2(3x + 5y)(3x - 5y)}$ $= \frac{(2x + y)}{2(3x + 5y)}$
19.		$y = k\sqrt{x}$ When x increased by 300%, $4x$ $y = k\sqrt{4x}$ $y = 2(k\sqrt{x})$ y is 2 times, i.e. increased by 1 times, 100%. $r = 100\%$
20.	a)	$\mathbf{P} = (6 \ 15 \ 8)$
	b)	$(3105 \ 3402)$
	c)	The total money collected from the ticket sales on Saturday and Sunday respectively.
	d)	$(1 \ 1 \ 1)$
21.		Breadth: let it be x cm. Length: $x + 7$ cm Perimeter = $2 [(2x + 14) + (2x + 7)] = 138$ $x = 12$ area = $4 \times 12 \times 19 = 912 \text{ cm}^2$

22.		Let AM be x cm. Area of shaded region = $\frac{1}{2}(15+x)^2(2) - \frac{1}{2}(15)^2(2) = 136$ $225 + 30x + x^2 - 225 - 136 = 0$ $x^2 + 30x - 136 = 0$ $x = -34 \text{ (rejected) or } 4$
23.	a)	(i) $\frac{\sin PSR}{90} = \frac{\sin 18}{28}$ angle $PSR = 83.348 \approx 83.4^\circ$
		(ii) angle $SRP = 180 - 83.348 - 18$ $= 78.652$ Bearing of P from R $= 360 - 78.652 - 83.348$ $= 198.0^\circ$ 
	b)	$\cos PQR = \frac{72^2 + 45^2 - 90^2}{2(72)(45)}$ angle $PQR = 97.903^\circ$ (shown)
	c)	(i) area $PQR = \frac{1}{2} \times 72 \times 45 \sin 97.903 = 1604.6 \approx 1600 \text{ m}^2$ (ii) $\frac{1}{2} \times 90 \times h = 1604.6$ $h = 35.66 \approx 35.7 \text{ m}$
	d)	$\tan 8 = \frac{\text{height}}{35.66}$ height = 5.01m OR $\tan 82 = \frac{35.66}{\text{height}}$ height = 5.01m 

24.	a)	$\overrightarrow{XP} = \frac{2}{5}\overrightarrow{YO}$ $= \frac{2}{5}(-10\mathbf{a} + 5\mathbf{b})$ $\overrightarrow{YP} = \overrightarrow{YX} + \overrightarrow{XP}$ $= (5\mathbf{a} + 4\mathbf{b}) + \frac{2}{5}(-10\mathbf{a} + 5\mathbf{b})$ $= \mathbf{a} + 6\mathbf{b}$
	b)	$\overrightarrow{QY} = \frac{2}{5}\overrightarrow{YO} = \overrightarrow{XP}$ $= \frac{2}{5}(-10\mathbf{a} + 5\mathbf{b})$ $\overrightarrow{QX} = \overrightarrow{QY} + \overrightarrow{YX}$ $= \frac{2}{5}(-10\mathbf{a} + 5\mathbf{b}) + (5\mathbf{a} + 4\mathbf{b})$ $= \mathbf{a} + 6\mathbf{b} = \overrightarrow{YP} \text{ (shown)}$
	c)	$\frac{2}{5}$

--	--



2024

Marks : 90

Mathematical Formulae

Compound interest

$$\text{Total amount} = P \left(1 + \frac{r}{100} \right)^n$$

Mensuration

$$\text{Curved surface area of a cone} = \pi r l$$

$$\text{Surface area of a sphere} = 4\pi r^2$$

$$\text{Volume of a cone} = \frac{1}{3} \pi r^2 h$$

$$\text{Volume of a sphere} = \frac{4}{3} \pi r^3$$

$$\text{Area of triangle } ABC = \frac{1}{2} ab \sin C$$

$$\text{Arc length} = r\theta, \text{ where } \theta \text{ is in radians}$$

$$\text{Sector area} = \frac{1}{2} r^2 \theta, \text{ where } \theta \text{ is in radians}$$

Trigonometry

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Statistics

$$\text{Mean} = \frac{\sum fx}{\sum f}$$

$$\text{Standard deviation} = \sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f} \right)^2}$$

Answer **all** the questions.

- 1 (a)** It is given that 1 microgram = 10^{-6} grams and 1 milligram = 10^{-3} grams.

- (i)** If 1 milligram = p micrograms, find the integer value of p .

Answer $p = \dots\dots\dots$ [1]

- (ii)** The recommended daily amount of vitamin A intake for an adult man is 900 micrograms. The amount of vitamin A in half a cup of boiled spinach is about 0.573 milligrams.

An adult man consumed one cup of boiled spinach in a day.

Explain whether he has met the daily recommended intake of vitamin A.

.....

.....

..... [2]

- (b)** A map has a scale of 1 : 30 000.

- (i)** The distance on the map between Town A and Town B is 8.5 cm.
Find the actual distance, in km, between Town A and Town B.

Answer km [1]

- (ii)** On the same map, the actual area of a pond is 0.36 km^2 .
Find the area of the pond represented on the map.

Answer cm^2 [2]

- (iii) The same pond has an area of 0.5625 cm^2 on another map with a scale of $1 : n$. Find the value of n .

Answer $n = \dots\dots\dots$ [2]

2 (a) $2_{xz} = \frac{4y - z^2}{3z}$

- (i) Find y when $x = 3$ and $z = -1$.

Answer $y = \dots\dots\dots$ [2]

- (ii) Express z in terms of x and y .

Answer $z = \dots\dots\dots$ [3]


- (b) Solve the inequality $3 - x < \frac{7 - 3x}{2} \leq 6$.

Answer [2]

- (c) Solve the equation $\frac{2}{x+1} + \frac{5}{2x-5} = 1$.

Answer [4]

- 3 The diagram shows an open funnel, consisting of a cylinder and a cone. The heights of the cylinder and cone are $1.5h$ cm each, and the radius of both the cylinder and cone is $0.8h$ cm.



- (a) Show that the curved surface area of the cone is $1.36\pi h^2$.

Answer

[2]


- (b) Given that the total surface area of the funnel is $1504\pi \text{ cm}^2$, find the value of h .

Answer $h = \dots\dots\dots$ [2]

- (c) A glass rod is placed in the funnel so that the one end of the glass rod rests on the edge of the funnel as shown.

When the glass rod is placed vertically from the bottom of the funnel, a part of the glass rod protrudes from the top of the funnel.


Calculate this length of the part of the glass rod that is outside the funnel when placed vertically.



Answer cm [3]

- (d) Water is being poured into the funnel at a constant rate and it takes 16 seconds to fill the funnel completely.

Sketch the change in height of the water level with respect to time, showing all critical values clearly.



[2]

- 4 The cost, \$y, of making a round plate of radius x cm is given by the function $y = ax^2 + \frac{210}{x}$, where a is a constant.

(a) Given that $x = 2$, $y = 107$, show that $a = \frac{1}{2}$.

Answer

[1]

(b) The table below shows some of the corresponding values of x and y .

x	2	4	6	8	10	12
y	107	60.5	53	58.3	71	p

Find p .

Answer $p = \dots\dots\dots$ [1]

(c) On the grid, draw the graph for $y = ax^2 + \frac{210}{x}$ for $2 \leq x \leq 12$.

[3]

(d) Using your graph,

(i) find the radius which gives the minimum cost,

Answer $\dots\dots\dots$ cm [1]

(ii) the range of value of x such that the cost is below \$70.

Answer $\dots\dots\dots$ [1]

(e) (i) On the same grid as in part (b), draw the line $6y = 25x + 180$. [2]

(ii) Write down the x -coordinate of the points where the line intersects the curve.


Answer $x = \dots\dots\dots$ and $\dots\dots\dots$ [2]

(iii) These values of x are the solutions of the equation $x^3 + Ax^2 + Bx + C = 0$.
Find the values of A , B and C .


Answer $A = \dots\dots\dots$

$B = \dots\dots\dots$

$C = \dots\dots\dots$ [3]



- 5 (a) The circle $BCDE$ has a centre O . AB and AC are tangents to the circle. COE is a straight line. Angle $CED = 60^\circ$ and $DF = FB$.



- (i) Prove, stating your reasons clearly, that triangle BCD is equilateral.

Answer

[3]

- (ii) Find angle BAC .

Answer angle $BAC = \dots\dots\dots^\circ$ [1]

- (b) The first three terms in a sequence of numbers, $T_1, T_2, T_3, \dots$ are given below.

$$T_1 = \frac{1}{2}(2 \times 3) = 3$$

$$T_2 = \frac{1}{2}(3 \times 4) = 6$$

$$T_3 = \frac{1}{2}(4 \times 5) = 10$$

- (i) Find T_7 .

Answer $T_7 = \dots\dots\dots$ [1]

- (ii) Find an expression, in terms of n , for T_n .

Answer $T_n = \dots\dots\dots$ [1]

- (iii) 351 is a term in the sequence.
Find the value of n .

Answer $n = \dots\dots\dots$ [2]

- 6 (a)** The position vector of point P is $\begin{pmatrix} -3 \\ 4 \end{pmatrix}$ and the position vector of point Q is $\begin{pmatrix} 2 \\ m \end{pmatrix}$, where $m < 0$.


- (i)** $|\overline{PQ}| = 13$ units
Find m .

Answer $m = \dots\dots\dots$ [3]

- (ii)** Given that $\overrightarrow{QP} = 2\overrightarrow{PR}$, find the coordinates of point R .

Answer R ($\dots\dots\dots$, $\dots\dots\dots$) [3]

(b)



The coordinates of B and C are $(5, 7)$ and $(5, -2)$ respectively. Lines AB and AC intersect the y -axis at P and Q respectively.

- (i) The gradient of AB is $\frac{2}{3}$.
Find the equation of the line AB .

Answer [2]

- (ii) The y -coordinate of A is 1.
Find the area of triangle ABC .


Answer units² [2]

- (iii) Explain why triangle APQ and triangle ABC are similar.

.....

 [2]

- 7 (a) The box-and-whisker plot below shows the results of a science test for class A. The median mark for class A is 66 and the inter-quartile range is 31. 65 of the students scored 80 marks or better. This is also the 75th percentile.



- (i) On the diagram, label the marks for lower quartile, upper quartile and the median.

[2]

- (ii) Work out the number of students who did the science test.

Answer [1]

- (iii) The median mark for the science test for class B is 63, and the inter-quartile range is 30.

Make 2 comments on the marks for the science test for classes A and B. Use figures to support your answer.

Comment 1

Comment 2
 [2]

- (b) The table below shows the mass distribution of 80 eggs collected from a farm.

mass (x g)	$25 < x \leq 35$	$35 < x \leq 45$	$45 < x \leq 55$	$55 < x \leq 65$
frequency	6	12	30	32

- (i) Calculate the mean and standard deviation.

Answer mean = ... g [1]

standard deviation = ... g [1]

- (ii) Two eggs were chosen at random without replacement.
Find the probability that


- (a) both eggs weigh at most 45g,

Answer [2]

- (b) one of the eggs weighs less than 35g and another egg weighs more than 55g.

Answer [2]

- 8** $OABC$ is a right pyramid with vertex O vertically above its base, an equilateral triangle ABC . A small similar pyramid $OGFH$ is removed from the top of pyramid $OABC$. $BC = 8$ cm. $ONP = 20$ cm, where line ONP is a straight line perpendicular to the base.



- (a)** Show that the volume of pyramid $OABC$ is 185 cm^3 , correct to the nearest cm^3 .

Answer

[2]

- (b) Given that the volume of pyramid $OGFH$ is 39.96 cm^3 , find the value of $\frac{\text{area of triangle } FGH}{\text{area of triangle } BAC}$.

Answer [3]

- (c) The remaining vertical height of the solid, NP , is 8 cm.
Calculate the area of the top FGH of the remaining solid.

Answer cm^2 [2]

- 9 A group of students plans to sell all-day breakfast sets during the school carnival in order to raise funds for a charity. Each breakfast set consists of 2 scrambled eggs, 2 slices of bread, 1 sausage, 1 slice of chicken ham and a cup of coffee.

The students estimate that they will sell 300 all-day breakfast sets. The costs of the ingredients used are as follows.

Item	Description	Unit cost
Eggs	Pasar Fresh Eggs (10 per pack)	\$2.70
	Pasar Fresh Eggs (30 per pack)	\$6.90
	Dasun Fresh Eggs (15 per pack)	\$4.55
Bread	Garden Soft White Bread (14 slices)	\$2.70
	Sunny Soft White Bread (12 slices)	\$2.50
Sausages	Chicken Frank (10 per pack)	\$5.25
	Chef Sausages (6 per pack) (\$0.35 off per 2 packs)	\$3.20
Ham	FP Baked Ham (10 per pack) (20% off per 3 packs)	\$4.35
	SC Baked Ham (10 per pack)	\$3.30
Coffee	Nescafe Instant Coffee (35 per pack) (Buy 5 get 1 free)	\$6.15
	Indocafe Coffeemix (25 per pack)	\$3.95

- (a) Find the lowest possible total cost of the ingredients required for the 300 all-day breakfast sets.

Answer

- (b) The school provides \$200 in funding for the students and has set two criteria which every class must meet:

Criteria 1: Up to 40% of the sales will be used to cover their expenses, while the remaining goes to the charity.

Criteria 2: The students must raise at least \$600 for charity.

Find the minimum price (to the nearest ten cents) they must charge for each breakfast set such that this group of students meets both criteria.

Justify your answer, showing all necessary workings clearly.
State an assumption you have made in your calculations.

Answer

[5]

End of Paper


Blank Page


1.	a)	(i) 1000 (ii) $0.573\text{mg} \times 2 = 1.146\text{mg} = 1146\mu\text{g}$ Yes, he met the daily recommended intake.
	b)	(i) 2.55km (ii) Area scale $1\text{cm}^2 : 0.09\text{km}^2$ Area on map = $0.36 \div 0.09 = 4\text{ cm}^2$ (iii) $0.5625\text{ cm}^2 : 0.36\text{ km}^2$ $1\text{ cm}^2 : 0.64\text{ km}^2$ $1\text{ cm} : 0.8\text{ km}$ $n = 80000$
2.	a)	$2xz = \frac{4y - z^2}{3z}$ (i) $2(3)(-1) = \frac{4y - (-1)^2}{3(-1)}$ $y = \frac{19}{4}$ or 4.75
		(ii) $2xz = \frac{4y - z^2}{3z}$ $2xz(3z) = 4y - z^2$ $6xz^2 + z^2 = 4y$ $z^2(6x + 1) = 4y$ $z = \pm \sqrt{\frac{4y}{6x + 1}}$
	b)	$3 - x < \frac{7 - 3x}{2} \leq 6$ $6 - 2x < 7 - 3x$ and $7 - 3x \leq 12$ $x < 1$ and $-3x \leq 5$ $x \leq -\frac{5}{3}$

	c)	$\frac{2}{x+1} + \frac{5}{2x-5} = 1$ $2(2x-5) + 5(x+1) = (x+1)(2x-5)$ $4x-10+5x+5 = 2x^2-3x-5$ $2x^2-12x = 0$ $2x(x-6) = 0$ $x = 0 \text{ or } 6$
3.	a)	Slant height of cone $= \sqrt{(0.8h)^2 + (1.5h)^2}$ $= \sqrt{2.89h^2}$ $= 1.7h$ Curved area of cone $= \pi \times 0.8h \times 1.7h$ $= 1.36\pi h^2 \text{ (shown)}$
	b)	Total surface area $= 1.36\pi h^2 + 2\pi(0.8h)(1.5h)$ $= 3.76\pi h^2 = 1504\pi$ $h^2 = \frac{1504}{3.76}$ $h = 20\text{cm}$
	c)	Radius = 16 cm, full height = 60 cm Length of rod $= \sqrt{16^2 + 60^2} = 62.097$ Length outside funnel = 2.1cm
	d)	
4	a)	$107 = a(2)^2 + \frac{210}{2}$ $a = \frac{1}{2}$
	b)	$p = \frac{1}{2}(12)^2 + \frac{210}{12}$ $p = 89.5$
	c)	Refer to graph
	d)	(i) 5.9 ± 0.2 (ii) $3.2 < x < 9.9 \pm 0.2$
	e)	(i) refer to graph (ii) $x = 5.6 \text{ or } 10.2 \pm 0.2$


		(iii) $6y = 25x + 180 \rightarrow y = \frac{25}{6}x + 30$ $y = \frac{1}{2}x^2 + \frac{210}{x}$ $\frac{1}{2}x^2 + \frac{210}{x} - \frac{25}{6}x - 30 = 0$ $\frac{1}{2}x^3 - \frac{25}{6}x^2 - 30x + 210 = 0$ $x^3 - \frac{25}{3}x^2 - 60x + 420 = 0$ By comparing coefficients with $x^3 + Ax^2 + Bx + C = 0$, $A = \frac{25}{3}, B = -60, C = 420$
5	a)	(i) Angle CBD = CED, angles in the same segment Angle DFE = 90°, OE bisects chord BD Angle FDE = 30°, angle sum in a triangle DFE Angle CDE = 90°, angle in a semi circle Angle BDC = 90 - 30 = 60° Angle CBD = 60°, angle sum in triangle BCD Hence Triangle BCD is an equilateral triangle.
		OR Angle CBD = CED, angles in the same segment Angle BED = 2×60 = 120° (OE bisects chord BD, Triangle DEF and BEF are congruent) Angle CBD = 60°, angle sum in triangle BCD Hence Triangle BCD is an equilateral triangle.
		(ii) Angle BOC = 120°, angle at centre = 2x angle at circumference Angle BAC = 360 - 90 - 90 - 120 = 60°
	b)	(i) $T_7 = 36$
		(ii) $T_n = \frac{1}{2}(n+1)(n+2)$

		(iii) $(n+1)(n+2) = 351$ $n^2 + 3n + 2 = 702$ $n^2 + 3n - 700 = 0$ $n = -28(\text{reject}) \text{ or } 25$ $n = 25$
--	--	--





6	a)	(i) $\overrightarrow{PQ} = \overrightarrow{OQ} - \overrightarrow{OP}$ $= \begin{pmatrix} 2 \\ m \end{pmatrix} - \begin{pmatrix} -3 \\ 4 \end{pmatrix}$ $= \begin{pmatrix} 5 \\ m-4 \end{pmatrix}$ $ \overrightarrow{PQ} = \sqrt{5^2 + (m-4)^2} = 13 \text{ units}$ $25 + m^2 - 8m + 16 = 169$ $m^2 - 8m - 128 = 0$ $m = -8 \text{ or } 16 \text{ (rejected)}$ $m = -8$
		(ii) $\overrightarrow{QP} = 2\overrightarrow{PR}$ $\overrightarrow{QP} = \begin{pmatrix} -5 \\ 12 \end{pmatrix}$ $\overrightarrow{QP} = 2\overrightarrow{PR}$ $\frac{1}{2} \begin{pmatrix} -5 \\ 12 \end{pmatrix} = \overrightarrow{OR} - \overrightarrow{OP}$ $\begin{pmatrix} -2.5 \\ 6 \end{pmatrix} + \begin{pmatrix} -3 \\ 4 \end{pmatrix} = \overrightarrow{OR}$ $\overrightarrow{OR} = \begin{pmatrix} -5.5 \\ 10 \end{pmatrix}$ $R(-5.5, 10)$
	b)	(i) $y = \frac{2}{3}x + C$ When $x = 5, y = 7, C = \frac{11}{3}$ $y = \frac{2}{3}x + \frac{11}{3}$ (ii) Let $y = 1, x = -4$ $\text{area} = \frac{1}{2} \times 9 \times 9 = 40.5 \text{ units}^2$
		(iii) PQ and BC are parallel Angle $PAQ =$ Angle BAQ (common) Angle $APQ =$ Angle ABC (corresponding angle) Triangle APQ and ABC are similar
7	a)	(i)

		 (ii) 260 (iii) Students in class A has a higher score for the science test than class B. The median marks for class A is higher than B. Students in class A has a less consistent score than class B. The interquartile range for class A is higher than class B.
	b)	(i) mean = 51 Standard deviation = 9.165 ≈ 9.17
		(ii) a) $\frac{18}{80} \times \frac{17}{79} = \frac{153}{3160}$ or 0.0484 b) $\frac{6}{80} \times \frac{32}{79} + \frac{32}{80} \times \frac{6}{79} = \frac{24}{395}$
8	a)	Vol of pyramid = $\frac{1}{3} \left(\frac{1}{2} \times 8 \times 8 \times \sin 60 \right) \times 20$ = 184.75 cm³
	b)	$\frac{V_1}{V_2} = \frac{39.96}{185} = \frac{27}{125}$ $\frac{l_1}{l_2} = \sqrt[3]{\left(\frac{27}{125} \right)} = \frac{3}{5}$ $\frac{A_1}{A_2} = \left(\frac{3}{5} \right)^2 = \frac{9}{25}$
	c)	Method 1 $HF = \frac{3}{5} \times 8 = 4.8$ area of triangle FGH = $\frac{1}{2} \times 4.8 \times 4.8 \sin(60)$ = 9.98 cm² Method 2 area of triangle FGH = $\frac{9}{25} \times \frac{1}{2} \times 6 \times 6 \sin(60)$ = 9.98 cm²

9	a) Compare unit cost 1 Egg <table> <tr> <th>Type</th><th>Cost</th><th>Sets</th></tr> <tr> <td>Pasar 10</td><td>0.27</td><td>60 trays</td></tr> <tr> <td>Pasar 30</td><td>0.23</td><td>20 trays</td></tr> <tr> <td>Dasun 15</td><td>0.3033</td><td>40 trays</td></tr> </table> 1 Bread <table> <tr> <td>Garden14</td><td>0.1928</td><td>22 loaves</td></tr> <tr> <td>Sunny12</td><td>0.2083</td><td>25 loaves</td></tr> </table> 1 Sausages <table> <tr> <td>Chicken F 10</td><td>0.525</td><td>30 packs</td></tr> <tr> <td>Chef S 6</td><td>0.504</td><td>50 packs</td></tr> </table> 1 Ham <table> <tr> <td>FP 10</td><td>0.435</td><td>30 packs</td></tr> <tr> <td>SC 10</td><td>0.33</td><td>30 packs</td></tr> </table> 1 coffee <table> <tr> <td>Nes35</td><td>6.15</td><td>9 packs</td></tr> <tr> <td>Ind 25</td><td>3.95</td><td>12 packs</td></tr> </table> Lowest possible cost 138 + 116.10 + 151.25 + 99 + 47.40 = \$551.75	Type	Cost	Sets	Pasar 10	0.27	60 trays	Pasar 30	0.23	20 trays	Dasun 15	0.3033	40 trays	Garden14	0.1928	22 loaves	Sunny12	0.2083	25 loaves	Chicken F 10	0.525	30 packs	Chef S 6	0.504	50 packs	FP 10	0.435	30 packs	SC 10	0.33	30 packs	Nes35	6.15	9 packs	Ind 25	3.95	12 packs	Compare cost for 300 sets 600 eggs <table> <tr> <th>Type</th><th>Cost</th><th>Sets</th></tr> <tr> <td>Pasar 10</td><td>162</td><td>60 trays</td></tr> <tr> <td>Pasar 30</td><td><u>138</u></td><td>20 trays</td></tr> <tr> <td>Dasun 15</td><td>182</td><td>40 trays</td></tr> </table> 600 Breads <table> <tr> <td>Garden14</td><td><u>116.10</u></td><td>43 loaves</td></tr> <tr> <td>Sunny12</td><td>125</td><td>50 loaves</td></tr> </table> 300 Sausages <table> <tr> <td>Chicken F 10</td><td>157.50</td><td>30 packs</td></tr> <tr> <td>Chef S 6</td><td>160 <u>151.25</u> (0.35disc)</td><td>50 packs</td></tr> </table> 300 Ham <table> <tr> <td>FP 10</td><td>130.50 104.40 (20%disc)</td><td>30 packs</td></tr> <tr> <td>SC 10</td><td><u>99</u></td><td>30 packs</td></tr> </table> 300 coffee <table> <tr> <td>Nes35</td><td>55.35 49.20 (disc1)</td><td>9 packs</td></tr> <tr> <td>Ind 25</td><td><u>47.40</u></td><td>12 packs</td></tr> </table>	Type	Cost	Sets	Pasar 10	162	60 trays	Pasar 30	<u>138</u>	20 trays	Dasun 15	182	40 trays	Garden14	<u>116.10</u>	43 loaves	Sunny12	125	50 loaves	Chicken F 10	157.50	30 packs	Chef S 6	160 <u>151.25</u> (0.35disc)	50 packs	FP 10	130.50 104.40 (20%disc)	30 packs	SC 10	<u>99</u>	30 packs	Nes35	55.35 49.20 (disc1)	9 packs	Ind 25	<u>47.40</u>	12 packs
Type	Cost	Sets																																																																								
Pasar 10	0.27	60 trays																																																																								
Pasar 30	0.23	20 trays																																																																								
Dasun 15	0.3033	40 trays																																																																								
Garden14	0.1928	22 loaves																																																																								
Sunny12	0.2083	25 loaves																																																																								
Chicken F 10	0.525	30 packs																																																																								
Chef S 6	0.504	50 packs																																																																								
FP 10	0.435	30 packs																																																																								
SC 10	0.33	30 packs																																																																								
Nes35	6.15	9 packs																																																																								
Ind 25	3.95	12 packs																																																																								
Type	Cost	Sets																																																																								
Pasar 10	162	60 trays																																																																								
Pasar 30	<u>138</u>	20 trays																																																																								
Dasun 15	182	40 trays																																																																								
Garden14	<u>116.10</u>	43 loaves																																																																								
Sunny12	125	50 loaves																																																																								
Chicken F 10	157.50	30 packs																																																																								
Chef S 6	160 <u>151.25</u> (0.35disc)	50 packs																																																																								
FP 10	130.50 104.40 (20%disc)	30 packs																																																																								
SC 10	<u>99</u>	30 packs																																																																								
Nes35	55.35 49.20 (disc1)	9 packs																																																																								
Ind 25	<u>47.40</u>	12 packs																																																																								

	b) Possible solution 1 Let the selling price be \$x. Total sales = $300x$ To meet cover expenses criteria 40% of sales = 551.75 100% of sales = $551.75 \div 40\% = 1379.375$ 60% of sales = $1379.375 \times 60\% = 827.625$ Meets the donation criteria T3 Selling price of each set = $1379.375 \div 300 = \\$2.75875 \approx \\$4.60$ Alternative solution $1379.375 - 200 = 1179.375$ $1179.375 \div 300 = 3.93 \sim \\$4$ Possible assumption: 1) All 300 breakfast sets can be made without any loss of ingredient. 2) All 300 breakfast sets are sold at the minimum selling price during the carnival. 3) Did not include funding, as it is uncertain if it can be achieved.
--	--